
# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



6255

... 1915...

# PRICE LIST

of

# Collected Native Trees Shrubs and Plants



FOR SALE BY

# L. E. WILLIAMS

EXETER, N. H., U. S. A.

I buy and sell Nursery Grown Stock, both fruit and ornamental, and can supply anything you need in this line at reasonable prices.



#### LOCATION.

Exeter is located 50 miles northeast of Boston on the Boston and Maine railroad in direct communication with Boston and New York.

This location is so far north that my stock is extremely hardy.

Our shipping season begins about the middle of April and lasts until June 1st and from September until the middle of November.

#### TERMS.

Terms net cash unless otherwise arranged.

Parties unknown to me must send cash or good reference.

Boxing and packing at cost.

While I am always ready to correct errors and mistakes which I make, if my attention is called to them upon receipt of goods, yet as I have no control over the planting and the weather conditions, I cannot assume any responsibility for the stock after being delivered to the transportation companies in good condition and taking their receipt thereof.

#### REMARKS.

I furnish trees and shrubs of any size suitable for transplanting, and a large number of shrubs and plants not quoted in this list.

I have an especially fine lot of Viburnums, Cornus Vacciniums and Ferns.

A certificate of inspection is attached to all shipments and of fumigation when required by law or requested.

## PERENNIALS.

|                                 | 10     | 100    | 1000          |
|---------------------------------|--------|--------|---------------|
| Achillea millefolium            | \$0.50 | \$1.00 | \$8.00        |
| Acorus calamus                  | 50     | 1.50   | 10.00         |
| Actaea alba, per bud            | 50     | 3.00   | 20,00         |
| "rubra, per bud                 | 50     | 3.00   |               |
| Adiantum pedatum                | 1.00   | 3.00   | 20.00         |
| Aletris farinosa                | 50     | 3.00   | 20.00         |
| Anemone Pennsylvanicum          | 1.00   | 4.00   | 25.00         |
| " quinquefolia                  | 50     | 3.00   | 20.00         |
| Apios tuberosa                  | 1.00   | 3.00   | 15.00         |
| Aquilegia vulgaris              | 50     | 3.00   | 15.00         |
| -                               | 50     | 3.00   | 20.00         |
| Aralia hispida                  |        | 1.50   |               |
| nudicauns                       | 50     |        | 10.00         |
| quinquerono                     | 1.00   | 6.00   |               |
| racemosa                        | 1.00   | 6.00   | <b>0</b> = 00 |
| Arisaema triphyllum             | 50     | 3.00   | 25.00         |
| Asarum Canadensis               | 1.00   | 4.00   |               |
| Asclepias incarnata (large)     | 1.00   | 5.00   | 35.00         |
| " syriaca                       | 50     | 2.00   | 15.00         |
| Asplenium ebeneum               | 1.00   | 3.00   | 15.00         |
| " Filix foémina                 | 1.00   | 3.00   | 15.00         |
| "trichomanes                    | 1.00   | 3.00   | 15.00         |
| Aspidium acrostichoides (large) | 1.00   | 3.00   | 15.00         |
| " (small)                       | 50     | 1.50   | 10.00         |
| " cristatum,                    | 75     | 3.00   | 15.00         |
| " (Clintoniana)                 | 75     | 3.00   | 15.00         |
| " marginale, (large)            | 1.00   | 3.00   | 15.00         |
| " (small)                       | 50     | 1.50   | 10.00         |
| " Novaboracensis                | 1.00   | 3.00   | 15.00         |

|                                  | 10         | 100    | 1000    |
|----------------------------------|------------|--------|---------|
| Aspidium spinulosum (large)      | \$1.00     | \$3.00 | \$15.00 |
| " (small)                        | 50         | 1.50   | 10.00   |
| " thelypteris                    | 1.00       | 3.00   | 15.00   |
| Aster ericoides                  | 50         | 3.00   | 15.00   |
| " linariifolius                  | 50         | 3.00   | 15.00   |
| " longifolius                    | 50         | 3.00   | 15.00   |
| " nemoralis                      | 50         | 3.00   | 15.00   |
| " Nova Angela (large)            | 75         | 4.00   | 30.00   |
| " Novi Belgii (large)            | 75         | 3.00   | 20.00   |
| " puniceus                       | 75         | 3.00   | 20.00   |
| " umbellatus                     | 50         | 3.00   | 15.00   |
| " undulatus                      | <b>5</b> 0 | 3.00   | 15.00   |
| Baptisia tinctoria               | 1.00       | 4.00   |         |
| Botrychium matricariae folium    | 1.00       | 3.00   |         |
| " Virginianum                    | 1.00       | 3.00   |         |
| Calla palustris (large)          | 1.00       | 3.00   | 20.00   |
| Calopogon pulchellus             | 1.00       | 5.00   |         |
| Caltha palustris (large)         | 1.00       | 3.00   | 20.00   |
| Caulophyllum thalictroides       | 1.00       | 5.00   |         |
| Chelone glabra                   | 1.00       | 3.00   | 20.00   |
| Cimicifuga race mosa             | 75         | 3.00   | 25.00   |
| Claytonia Virginica              | 75         | 2.50   |         |
| Camptosorus rhizophyllus         | 1.00       | 2.00   | 15.00   |
| Clintonia borealis (large)       | 75         | 3.00   | 15.00   |
| Coptis trifolia                  | 50         | 2.00   | 10.00   |
| Cypripedium acaule (extra large) | 1.00       | 6.00   | 50.00   |
| " (large)                        | 1.00       | 3.00   | 25.00   |
| " pubescens, per crown           | 1.00       | 6.00   | 50.00   |
| " spectabile, " "                | 1.00       | 6.00   | 50.00   |
| Dalibarda repens                 | 50         | 2.00   | 8.00    |
|                                  |            |        |         |

|                                     | 10     | 100    | 1000    |
|-------------------------------------|--------|--------|---------|
| Desmodium Canadensis                | \$0.50 | \$3.00 | \$20.00 |
| Dicksonia punctilobula              | 1.00   | 3.00   | 10.00   |
| Epilobium Angustifolium             | 1.00   | 4.00   | 30.00   |
| Eriophorum gracile                  | 1.00   | 3.00   | 15.00   |
| Erythronium Americanum              | 1.00   | 3.00   | 25.00   |
| Eupatorium purpureum (large)        | 50     | 3.00   | 25.00   |
|                                     | 50     | 3.00   | 25.00   |
| " perfoliatum "                     | 50     | 1.00   |         |
| Gentiana Andrewsii "                | 1.00   | 3.00   | 25.00   |
| " linearis                          | 75     | 3.00   | 25.00   |
| Habenaria Blephariglottis           | 1.00   | 6.00   |         |
| " ciliaris                          | 1.00   | 6.00   |         |
| " psycodes                          | 1.50   | 6.00   |         |
| " lacera                            | 1.00   | 4.00   |         |
| Hepatica acuta, per bud             | 50     | 1.50   |         |
| " Hepatica, per bud                 | 50     | 1.50   | 10.00   |
| Inula helenium                      | 1.00   | 5.00   | 30.00   |
| Iris prismatica                     | 50     | 3.00   | 20.00   |
| " versicolor                        | 50     | 2.00   | 10.00   |
| Lathyrus maritimus                  | 1.00   | 5.00   | 25.00   |
| " palustris                         | 1.00   | 2.00   |         |
| Lespedeza capitata                  | 1.00   | 2.00   | 15.00   |
| Lychnis Flos cuculi                 | 1.00   | 3.00   | 20.00   |
| Lilium Canadense, extra large bulbs | 2.00   | 10.00  |         |
| " (flowering bulbs)                 | 1.00   | 4.00   | 25.00   |

I have a large lot of Lilium Canadense and will make a special price on five and ten thousand lots, if ordered before the first of September. Rubrum or Flavum should be ordered on or before July first to get them true to color.

|                                 | 10           | 100    | 1000    |
|---------------------------------|--------------|--------|---------|
| Lilium Canadense, (small bulbs) | \$0.50       | \$2.00 | \$10.00 |
| " flavum                        | 1.25         | 5.00   | 40.00   |
| " rubrum                        | 1.25         | 6.00   | 50.00   |
| " Candidum                      | 1.25         | 6.00   |         |
| " Philadelphicum (large)        | 1.00         | 4.00   | 25.00   |
| " (small)                       | 50           | 3.00   | 20.00   |
| " superbum, extra large bulbs   | 2.00         | 10.00  |         |
| " medium "                      | 1.00         | 5.00   | 40.00   |
| " tigrinum                      | 1.00         | 5.00   |         |
| Limnanthemum lacunosum          | <b>2.</b> 00 | 6.00   |         |
| Linaria Linaria                 | 50           | 2.00   |         |
| Linnaea borealis                | 1.00         | 4.00   |         |
| Lobelia cardinalis (large)      | 1.00         | 3.00   | 20.00   |
| " (small)                       | 50           | 1.50   | 10.00   |
| " syphilitica (large)           | 1.00         | 3.00   | 25.00   |
| " (small)                       | 50           | 2.00   | 15.00   |
| Lycopodium complanatum          | 50           | 2.00   | 15.00   |
| " obscurum                      | 50           | 2.00   | 15.00   |
| Lysimachia Nummularia           | 50           | 3.00   | 25.00   |
| " quadrifolia                   | 50           | 3.00   | 25.00   |
| " stricta                       | 50           | 3.00   | 25.00   |
| Medeola Virginica               | 1.00         | 3.00   | 20.00   |
| Mentha piperita                 | 50           | 1.00   |         |
| " viridis                       | 50           | 1.00   |         |
| Mertensia Virginica             | 1.00         | 3.00   | 20.00   |
| Michella repens (large)         | 50           | 1.50   | 10.00   |
| Mimulus moschatus               | 1.00         | 3.00   |         |
| " ringens                       | 1.00         | 3.00   |         |
| Nepeta cataria                  | 50           | 5.00   |         |
| Nymphaea advena                 | 1.00         | 4.00   | 35.00   |
|                                 |              |        |         |

| Nymphaea odorata       \$0.75       \$4.00       \$35.00         Onoclea sensibilis       0.50       1.50       \$10.00         " struthiopteris (large)       1.00       5.00       30.00         " " (small)       50       2.00       15.00         Orchis spectabilis       1.00       4.00         Osmunda cinnamomea (large)       1.00       5.00       30.00         " " (small)       50       2.00       15.00         " Claytonia (large)       1.00       5.00       30.00         " " (small)       50       2.00       15.00         " gracilis       75       3.00       20.00         " regalis (large)       1.00       5.00       30.00         " regalis (large)       1.00       5.00       30.00         Peltandra Virginica       1.00       5.00       15.00         Peramium pubescens       50       2.00       15.00         Phytolacca decendra       75       3.00       25.00         Polygala paucifolia       50       2.00         Polygodium vulgare       50       1.50       10.00         Pontederia cordata       75       3.00       25.00         Pyrola chlorantha       5  |                          | 10         | 100    | 1000    |
|---|--------------------------|------------|--------|---------|
| " struthiopteris (large)       1.00       5.00       30.00         " " (small)       50       2.00       15.00         Orchis spectabilis       1.00       4.00         Osmunda cinnamomea (large)       1.00       5.00       30.00         " " (small)       50       2.00       15.00         " Claytonia (large)       1.00       5.00       30.00         " gracilis       75       3.00       20.00         " regalis (large)       1.00       5.00       30.00         " regalis (large)       1.00       5.00       30.00         " regalis (large)       1.00       5.00       30.00         Peltandra Virginica       1.00       5.00       15.00         Peramium pubescens       50       2.00       15.00         Phytolacca decendra       75       3.00       25.00         Polygala paucifolia       50       2.00         Polypodium vulgare       50       1.50       10.00         Pontederia cordata       75       3.00       25.00         Pyrola chlorantha       50       2.00       12.00         " rotundifolia       50       2.00       12.00         Ranunculus       50   |                          | \$0.75     | \$4.00 | \$35.00 |
| " " (small)         50         2.00         15.00           Orchis spectabilis         1.00         4.00           Osmunda cinnamomea (large)         1.00         5.00         30.00           " " (small)         50         2.00         15.00           " Claytonia (large)         1.00         5.00         30.00           " " (small)         50         2.00         15.00           " gracilis         75         3.00         20.00           " regalis (large)         1.00         5.00         30.00           " (small)         50         2.00         15.00           Peltandra Virginica         1.00         5.00           Peramium pubescens         50         2.00         15.00           Phytolacca decendra         75         3.00         25.00           Polygala paucifolia         50         2.00         25.00           Polygodium vulgare         50         1.50         10.00           Portentilla fruticosa         50         2.00         12.00           Pyrola chlorantha         50         2.00         12.00           " rotundifolia         50         2.00         12.00           Ranunculus         50 | Onoclea sensibilis       | 0.50       | 1.50   | \$10.00 |
| Orchis spectabilis       1.00       4.00         Osmunda cinnamomea (large)       1.00       5.00       30.00         """ (small)       50       2.00       15.00         Peltandra Virginica       1.00       5.00         Peramium pubescens       50       2.00       15.00         Phytolacca decendra       75       3.00       25.00         Polygala paucifolia       50       2.00         Polypodium vulgare       50       1.50       10.00         Potentilla fruticosa       50       2.00       25.00         Pyrola chlorantha       50       2.00       12.00         "" rotundifolia       50       2.00       12.00         "" umbellata       50       2.00       12.00         Ranunculus       50       1.50       10.00         Sagittaria Engelmanniana       75       4.00         " lati  | strutinoptens (large)    | 1.00       | 5.00   | 30.00   |
| Osmunda cinnamomea (large)       1.00       5.00       30.00         " (' (small))       50       2.00       15.00         " Claytonia (large)       1.00       5.00       30.00         " (small)       50       2.00       15.00         " gracilis       75       3.00       20.00         " regalis (large)       1.00       5.00       30.00         " (small)       50       2.00       15.00         Peltandra Virginica       1.00       5.00         Peramium pubescens       50       2.00       15.00         Phytolacca decendra       75       3.00       25.00         Polygala paucifolia       50       2.00         Polygodium vulgare       50       1.50       10.00         Pontederia cordata       75       3.00       25.00         Pyrola chlorantha       50       2.00       12.00         " rotundifolia       50       2.00       12.00         " umbellata       50       2.00       12.00         Ranunculus       50       1.00       6.00         Rudbeckia hirta       50       1.50       10.00         Sagittaria Engelmanniana       75       4.00  | " (small)                | 50         | 2.00   | 15.00   |
| " Claytonia (large)       1.00       5.00       30.00         " Claytonia (large)       1.00       5.00       30.00         " (small)       50       2.00       15.00         " gracilis       75       3.00       20.00         " regalis (large)       1.00       5.00       30.00         " (small)       50       2.00       15.00         Peltandra Virginica       1.00       5.00         Peramium pubescens       50       2.00       15.00         Phytolacca decendra       75       3.00       25.00         Polygala paucifolia       50       2.00         Polypodium vulgare       50       1.50       10.00         Pontederia cordata       75       3.00       25.00         Pyrola chlorantha       50       2.00       12.00         " rotundifolia       50       2.00       12.00         " rotundifolia       50       2.00       12.00         Ranunculus       50       1.50       10.00         Ragittaria Engelmanniana       75       4.00         " latifolia       75       4.00         Sanguinaria Canadensis       1.00       3.00         Sarracenia purpure   | Orchis spectabilis       | 1.00       | 4.00   |         |
| " Claytonia (large)       1.00       5.00       30.00         " (small)       50       2.00       15.00         " gracilis       75       3.00       20.00         " regalis (large)       1.00       5.00       30.00         " (small)       50       2.00       15.00         Peltandra Virginica       1.00       5.00         Peramium pubescens       50       2.00       15.00         Phytolacca decendra       75       3.00       25.00         Polygala paucifolia       50       2.00         Polypodium vulgare       50       1.50       10.00         Pontederia cordata       75       3.00       25.00         Potentilla fruticosa       50       2.00       12.00         Pyrola chlorantha       50       2.00       12.00         " rotundifolia       50       2.00       12.00         " umbellata       50       2.00       12.00         Ranunculus       50       1.50       10.00         Ragittaria Engelmanniana       75       4.00         Sagittaria Engelmanniana       75       4.00         Sanguinaria Canadensis       1.00       3.00         Sarraceni   |                          | 1.00       | 5.00   | 30.00   |
| Claytonia (large)       1.00       3.00       30.00         "gracilis       75       3.00       20.00         "regalis (large)       1.00       5.00       30.00         "regalis (large)       1.00       5.00       30.00         Peltandra Virginica       1.00       5.00         Peramium pubescens       50       2.00       15.00         Phytolacca decendra       75       3.00       25.00         Polygala paucifolia       50       2.00       2.00         Polygodium vulgare       50       1.50       10.00         Pontederia cordata       75       3.00       25.00         Pyrola chlorantha       50       2.00       12.00         "rotundifolia       50       2.00       12.00         "anunculus       50       1.00       6.00         Rudbeckia hirta       50       1.50       10.00         Sagittaria Engelmanniana       75       4.00         Sanguinaria Canadensis       1.00       3.00         Sarracenia purpurea       50       3.00       25.00         Sedum reflexum       50       2.00  | " (small)                | 50         | 2.00   | 15.00   |
| (Smail)       50       2.00       15.00         " regalis (large)       1.00       5.00       30.00         " (small)       50       2.00       15.00         Peltandra Virginica       1.00       5.00         Peramium pubescens       50       2.00       15.00         Phytolacca decendra       75       3.00       25.00         Polygala paucifolia       50       2.00         Polypodium vulgare       50       1.50       10.00         Pontederia cordata       75       3.00       25.00         Potentilla fruticosa       50       2.00       12.00         Pyrola chlorantha       50       2.00       12.00         " rotundifolia       50       2.00       12.00         Ranunculus       50       1.00       6.00         Rudbeckia hirta       50       1.50       10.00         Sagittaria Engelmanniana       75       4.00         Sanguinaria Canadensis       1.00       3.00         Sarracenia purpurea       50       3.00       25.00         Sedum reflexum       50       2.00   | " Claytonia (large)      | 1.00       | 5.00   | 30.00   |
| gracilis       75       3.00       20.00         " regalis (large)       1.00       5.00       30.00         " (small)       50       2.00       15.00         Peltandra Virginica       1.00       5.00         Peramium pubescens       50       2.00       15.00         Phytolacca decendra       75       3.00       25.00         Polygala paucifolia       50       2.00         Polypodium vulgare       50       1.50       10.00         Pontederia cordata       75       3.00       25.00         Potentilla fruticosa       50       2.00       12.00         Pyrola chlorantha       50       2.00       12.00         " rotundifolia       50       2.00       12.00         " umbellata       50       2.00       12.00         Ranunculus       50       1.00       6.00         Rudbeckia hirta       50       1.50       10.00         Sagittaria Engelmanniana       75       4.00         " latifolia       75       4.00         Sanguinaria Canadensis       1.00       3.00         Sarracenia purpurea       50       3.00       25.00         Sedum reflexum  | (Small)                  | 50         | 2.00   | 15.00   |
| " (small)       50       2.00       15.00         Peltandra Virginica       1.00       5.00         Peramium pubescens       50       2.00       15.00         Phytolacca decendra       75       3.00       25.00         Polygala paucifolia       50       2.00         Polypodium vulgare       50       1.50       10.00         Pontederia cordata       75       3.00       25.00         Potentilla fruticosa       50       2.00       12.00         Pyrola chlorantha       50       2.00       12.00         " rotundifolia       50       2.00       12.00         Ranunculus       50       1.00       6.00         Rudbeckia hirta       50       1.50       10.00         Sagittaria Engelmanniana       75       4.00         Sanguinaria Canadensis       1.00       3.00         Sarracenia purpurea       50       3.00       25.00         Sedum reflexum       50       2.00   | " gracilis               | 75         | 3.00   | 20.00   |
| Peltandra Virginica       1.00       5.00         Peramium pubescens       50       2.00       15.00         Phytolacca decendra       75       3.00       25.00         Polygala paucifolia       50       2.00         Polypodium vulgare       50       1.50       10.00         Pontederia cordata       75       3.00       25.00         Potentilla fruticosa       50       2.00       12.00         Pyrola chlorantha       50       2.00       12.00         " rotundifolia       50       2.00       12.00         " umbellata       50       2.00       12.00         Ranunculus       50       1.00       6.00         Rudbeckia hirta       50       1.50       10.00         Sagittaria Engelmanniana       75       4.00         Sanguinaria Canadensis       1.00       3.00         Sarracenia purpurea       50       3.00       25.00         Sedum reflexum       50       2.00   | " regalis (large)        | 1.00       | 5.00   | 30.00   |
| Peramium pubescens       50       2.00       15.00         Phytolacca decendra       75       3.00       25.00         Polygala paucifolia       50       2.00         Polypodium vulgare       50       1.50       10.00         Pontederia cordata       75       3.00       25.00         Potentilla fruticosa       50       2.00       12.00         Pyrola chlorantha       50       2.00       12.00         " rotundifolia       50       2.00       12.00         " umbellata       50       2.00       12.00         Ranunculus       50       1.00       6.00         Rudbeckia hirta       50       1.50       10.00         Sagittaria Engelmanniana       75       4.00         Sanguinaria Canadensis       1.00       3.00         Sarracenia purpurea       50       3.00       25.00         Sedum reflexum       50       2.00   | " (small)                | <b>5</b> 0 | 2.00   | 15.00   |
| Phytolacca decendra       75       3.00       25.00         Polygala paucifolia       50       2.00         Polypodium vulgare       50       1.50       10.00         Pontederia cordata       75       3.00       25.00         Potentilla fruticosa       50       2.00         Pyrola chlorantha       50       2.00       12.00         " rotundifolia       50       2.00       12.00         " umbellata       50       2.00       12.00         Ranunculus       50       1.00       6.00         Rudbeckia hirta       50       1.50       10.00         Sagittaria Engelmanniana       75       4.00         " latifolia       75       4.00         Sanguinaria Canadensis       1.00       3.00         Sarracenia purpurea       50       3.00       25.00         Sedum reflexum       50       2.00  | Peltandra Virginica      | 1.00       | 5.00   |         |
| Polygala paucifolia       50       2.00         Polypodium vulgare       50       1.50       10.00         Pontederia cordata       75       3.00       25.00         Potentilla fruticosa       50       2.00       12.00         Pyrola chlorantha       50       2.00       12.00         " rotundifolia       50       2.00       12.00         " umbellata       50       2.00       12.00         Ranunculus       50       1.00       6.00         Rudbeckia hirta       50       1.50       10.00         Sagittaria Engelmanniana       75       4.00         " latifolia       75       4.00         Sanguinaria Canadensis       1.00       3.00         Sarracenia purpurea       50       3.00       25.00         Sedum reflexum       50       2.00  | Peramium pubescens       | 50         | 2.00   | 15.00   |
| Polypodium vulgare       50       1.50       10.00         Pontederia cordata       75       3.00       25.00         Potentilla fruticosa       50       2.00         Pyrola chlorantha       50       2.00       12.00         " rotundifolia       50       2.00       12.00         " umbellata       50       2.00       12.00         Ranunculus       50       1.00       6.00         Rudbeckia hirta       50       1.50       10.00         Sagittaria Engelmanniana       75       4.00         Sanguinaria Canadensis       1.00       3.00         Sarracenia purpurea       50       3.00       25.00         Sedum reflexum       50       2.00  | Phytolacca decendra      | 75         | 3.00   | 25.00   |
| Pontederia cordata       75       3.00       25.00         Potentilla fruticosa       50       2.00       12.00         Pyrola chlorantha       50       2.00       12.00         " rotundifolia       50       2.00       12.00         " umbellata       50       2.00       12.00         Ranunculus       50       1.00       6.00         Rudbeckia hirta       50       1.50       10.00         Sagittaria Engelmanniana       75       4.00         " latifolia       75       4.00         Sanguinaria Canadensis       1.00       3.00         Sarracenia purpurea       50       3.00       25.00         Sedum reflexum       50       2.00   | Polygala paucifolia      | 50         | 2.00   |         |
| Potentilla fruticosa       50       2.00         Pyrola chlorantha       50       2.00       12.00         " rotundifolia       50       2.00       12.00         " umbellata       50       2.00       12.00         Ranunculus       50       1.00       6.00         Rudbeckia hirta       50       1.50       10.00         Sagittaria Engelmanniana       75       4.00         " latifolia       75       4.00         Sanguinaria Canadensis       1.00       3.00         Sarracenia purpurea       50       3.00       25.00         Sedum reflexum       50       2.00  | Polypodium vulgare       | 50         | 1.50   | 10.00   |
| Pyrola chlorantha       50       2.00       12.00         " rotundifolia       50       2.00       12.00         " umbellata       50       2.00       12.00         Ranunculus       50       1.00       6.00         Rudbeckia hirta       50       1.50       10.00         Sagittaria Engelmanniana       75       4.00         " latifolia       75       4.00         Sanguinaria Canadensis       1.00       3.00         Sarracenia purpurea       50       3.00       25.00         Sedum reflexum       50       2.00   | Pontederia cordata       | 75         | 3.00   | 25.00   |
| " rotundifolia       50       2.00       12.00         " umbellata       50       2.00       12.00         Ranunculus       50       1.00       6.00         Rudbeckia hirta       50       1.50       10.00         Sagittaria Engelmanniana       75       4.00         " latifolia       75       4.00         Sanguinaria Canadensis       1.00       3.00         Sarracenia purpurea       50       3.00       25.00         Sedum reflexum       50       2.00   | Potentilla fruticosa     | 50         | 2.00   |         |
| " umbellata       50       2.00       12.00         Ranunculus       50       1.00       6.00         Rudbeckia hirta       50       1.50       10.00         Sagittaria Engelmanniana       75       4.00         " latifolia       75       4.00         Sanguinaria Canadensis       1.00       3.00         Sarracenia purpurea       50       3.00       25.00         Sedum reflexum       50       2.00  | Pyrola chlorantha        | 50         | 2.00   | 12.00   |
| Ranunculus       50       1.00       6.00         Rudbeckia hirta       50       1.50       10.00         Sagittaria Engelmanniana       75       4.00         " latifolia       75       4.00         Sanguinaria Canadensis       1.00       3.00         Sarracenia purpurea       50       3.00       25.00         Sedum reflexum       50       2.00  | " rotundifolia           | 50         | 2.00   | 12.00   |
| Rudbeckia hirta       50       1.50       10.00         Sagittaria Engelmanniana       75       4.00         " latifolia.       75       4.00         Sanguinaria Canadensis       1.00       3.00         Sarracenia purpurea       50       3.00       25.00         Sedum reflexum       50       2.00   | " umbellata              | 50         | 2.00   | 12.00   |
| Sagittaria Engelmanniana       75       4.00         " latifolia       75       4.00         Sanguinaria Canadensis       1.00       3.00         Sarracenia purpurea       50       3.00       25.00         Sedum reflexum       50       2.00  | Ranunculus               | 50         | 1.00   | 6.00    |
| " latifolia.       75 4.00         Sanguinaria Canadensis       1.00 3.00         Sarracenia purpurea       50 3.00 25.00         Sedum reflexum       50 2.00  | Rudbeckia hirta          | 50         | 1.50   | 10.00   |
| Sanguinaria Canadensis       1.00       3.00         Sarracenia purpurea       50       3.00       25.00         Sedum reflexum       50       2.00   | Sagittaria Engelmanniana | 75         | 4.00   |         |
| Sarracenia purpurea       50       3.00       25.00         Sedum reflexum       50       2.00  | " latifolia              | <b>7</b> 5 | 4.00   |         |
| Sedum reflexum  | Sanguinaria Canadensis   | 1.00       | 3.00   |         |
|   | Sarracenia purpurea      | 50         | 3.00   | 25.00   |
| Sedum acre 50 3.00  | Sedum reflexum           | 50         | 2.00   |         |
|   | Sedum acre               | 50         | 3.00   |         |

|                             | 10     | 100    | 1000    |
|-----------------------------|--------|--------|---------|
| Solidago, several varieties | \$0.50 | \$1.50 | \$10.00 |
| Tanacetum vulgare           | 50     | 2.00   | 15.00   |
| Thalictrum Cornuti          | 1.00   | 3.00   | 25.00   |
| Trientalis Americana        | 50     | 2.00   | 10.00   |
| Trillium erectum            | 50     | 3.00   | 15.00   |
| " grandiflorum              | 75     | 3.00   | 20.00   |
| " undulatum                 | 50     | 3.00   | 20.00   |
| Typha angustifolia          | 50     | 2.00   | 12.00   |
| " latifolia                 | 50     | 2.00   | 12.00   |
| Unifolium Canadense         | 50     | 2.00   | 10.00   |
| Uvularia sessilifolia       | 50     | 2.00   | 10.00   |
| Vagnera racemosa            | 1.00   | 4.00   |         |
| Veronica officinalis        | 1.50   | 2.00   | 15.00   |
| Verbena hasatata            | 1.00   | 3.00   |         |
| Viola blanda                | 50     | 1.00   | 10.00   |
| " palmata                   | 50     | 1.00   | 10.00   |
| Woodsia Illvensis           | 1.00   | 5.00   |         |
| Woodwardia angustifolia     | 1.00   | 5.00   |         |
| " Virginica                 | 1.00   | 5.00   |         |
| 5                           |        |        |         |



## TREES, SHRUBS AND VINES.

The smaller sizes quoted are suitable for lining up in the nursery. The larger sizes are selected stock suitable for landscape engineers and permanent planting.

|                                      | 10     | 100    | 1000    |
|--------------------------------------|--------|--------|---------|
| Acer Pennsylvanicum, 1 ft. – 2 ft    | \$0.50 | \$3.00 |         |
| " 2 ft. – 4 ft                       | 75     | 5.00   |         |
| " rubrum, 1 ft. – 2 ft               | 50     | 2.00   | \$12.00 |
| " 2 ft 3 ft                          | 75     | 3.00   | 25.00   |
| " 3 ft 5 ft                          | 1.00   | 7.50   | 50.00   |
| " saccharum, 1 ft. – 2 ft            | 50     | 2.00   | 12.00   |
| " 2 ft 3 ft                          | 75     | 5.00   | 30.00   |
| " 3 ft. – 4 ft                       | 1.00   | 7.50   | 50.00   |
| " 5 ft 6 ft                          | 1.00   | 10.00  | 75.00   |
| " spicatum, 3 ft. – 4 ft             | 1.50   | 5.00   |         |
| Alnus rugosa, 2 ft. – 3 ft           | 50     | 2.00   | 12.00   |
| Amelanchier Canadensis, 1 ft. – 3 ft | 75     | 2.50   | 15.00   |
| " 3 ft. – 5 ft                       |        |        |         |
| (clumps)                             | 1.50   | 10.00  | 75.00   |
| "Botryapium, 1 ft. – 3 ft            | 75     | 2.50   | 15.00   |
| " 3 ft. – 5 ft                       |        |        |         |
| (clumps)                             | 1.50   | 10.00  | 75.00   |
| Ampelopsis quinquefolia (small)      | 50     | 1.00   | 8.00    |
| " (large)                            | 50     | 2.00   | 15.00   |
| Andromeda calyculata (small)         | 50     | 2.00   | 12.00   |
| " (large clumps)                     | 1.00   | 6.00   | 50.00   |
| " ligustrina                         | 50     | 2.00   | 15.00   |
| " Mariana                            | 1.00   | 5.00   |         |
| Arctostaphylos Uva-Urso              | 1.00   | 3.00   | 25.00   |
| Azalea canescens, 1 ft. – 2 ft       | 1.00   | 5.00   | 40.00   |
| " 2 ft 3 ft                          | 1.50   | 10.00  | 75.00   |

|   | 10     | 100    | 1000    |
|---|--------|--------|---------|
| Azalea nudiflora, 6 in. – 18 in             | \$0.50 | \$3.00 | \$20.00 |
| " 18 in. – 3 ft                             | 1.00   | 7.50   | 50.00   |
| " viscosa, 1 ft. – 2 ft                     | 1.00   | 7.50   |         |
| " 2 ft. – 3 ft                              | 2.00   | 15.00  |         |
| " 3 ft. – 4 ft. (clumps)                    | 3.00   | 25.00  |         |
| Betula lenta, 6 in. – 18 in                 | 50     | 1.50   | 12.00   |
| " $1\frac{1}{2}$ ft. $-3$ ft                | 75     | 3.00   | 20.00   |
| " 3 ft. – 4 ft                              | 1.00   | 5.00   | 40.00   |
| " 4 ft 6 ft                                 | 1.25   | 10.00  | 75.00   |
| " lutea, 6 in. – 18 in                      | 50     | 1.50   | 12.00   |
| " " 1½ ft. – 3 ft                           | 75     | 3.00   | 20.00   |
| " " 3 ft 4 ft                               | 1.00   | 5.00   | 40.00   |
| " 4 ft. – 6 ft                              | 1.25   | 10.00  | 75.00   |
| " nigra, 1 ft. – 3 ft                       | 1.00   | 3.00   |         |
| " papyracea, 6 in. – 18 in                  | 50     | 1.50   | 12.00   |
| " $1\frac{1}{2}$ - ft. 3 ft                 | 75     | 3.00   | 20.00   |
| " 3 ft. – 4 ft                              | 1.00   | 5.00   | 40.00   |
| " 4 ft 6 ft                                 | 1.25   | 10.00  | 75.00   |
| " populifolia, 1 ft. – 3 ft                 | 50     | 1.00   | 6.00    |
| " 3 ft. – 4 ft                              | 75     | 1.50   | 10.00   |
| " 4 ft. – 6 ft                              | 1.00   | 5.00   | 40.00   |
| Berberis vulgaris, 1 ft 3 ft                | 75     | 5.00   | 40.00   |
| " 3 ft. – 5 ft. clumps                      | 2.00   | 15.00  | 100.00  |
| Benzoin Benzoin, $1\frac{1}{2}$ ft. $-3$ ft | 75     | 5.00   |         |
| Castanea dentata, 6 in. – 18 in             | 50     | 3.00   |         |
| " 1 ft. – 3 ft                              | 75     | 5.00   |         |
| Carpinus Americana, 6 in. – 2 ft            | 50     | 2.00   | 12.00   |
| " 2 ft. – 4 ft                              | 75     | 5.00   | 30.00   |
| Celastrus scandens, (seedlings)             | 50     | 2.00   | 15.00   |
| " 2 ft. – 3 ft                              | 1.00   | 3.00   | 25.00   |
|   |        |        |         |

|   | 10     | 100    | 1000    |
|---|--------|--------|---------|
| Cephalanthus occidentalis, 6 in. – 2 ft | \$0.50 | \$2.00 | \$15.00 |
| " 2 ft. – 4 ft                          | 75     | 5.00   | 30.00   |
| Cercis Canadensis, 1 ft. – 3 ft         | 1.00   | 3.00   | 25.00   |
| Chiogenes hispidula                     | 1.50   | 3.00   | 15.00   |
| Clematis Virginica (small)              | 50     | 2.00   | 12.00   |
| " (large)                               | 1.00   | 4.00   | 25.00   |
| Clethra alnifolia, 6 in. – 18 in        | 50     | 2.00   | 15.00   |
| " $1\frac{1}{2}$ ft. $-3$ ft. clumps    | 1.00   | 5.00   | 40.00   |
| Comptonia asplenifolia, (small)         | 50     | 2.00   | 15.00   |
| " (large)                               | 75     | 4.00   | 30.00   |
| Cornus alternifolia, 1 ft. – 3 ft       | 50     | 3.00   |         |
| " 3 ft. – 5 ft                          | 1.00   | 5.00   |         |
| " Canadensis                            | 50     | 2.00   | 10.00   |
| " circinata, 1 ft. – 2 ft               | 50     | 2.00   | 15.00   |
| " 2 ft. – 3 ft                          | 1.00   | 4.00   | 30.00   |
| " 3 ft. – 4 ft                          | 1.25   | 6.00   | 50.00   |
| " Florida, 1 ft. – 2 ft                 | 50     | 3.00   | 15.00   |
| " 2 ft. – 3 ft                          | 1.00   | 5.00   | 40.00   |
| " 3 ft. – 4 ft                          | 1.25   | 7.50   |         |
| " paniculata, 1 ft. – 2 ft              | 50     | 2.00   | 15.00   |
| " 2 ft. – 3 ft                          | 1.00   | 5.00   | 40.00   |
| " 3 ft. – 4 ft                          | 1.25   | 7.50   | 50.00   |
| " sericea, 6 in. – 18 in                | 50     | 1.50   | 12.00   |
| " $1\frac{1}{2}$ ft. $-3$ ft            | 75     | 3.00   | 25.00   |
| " 3 ft 4 ft                             | 1.00   | 5.00   | 40.00   |
| " stolonifera, 6 in. – 18 in            | 50     | 2.00   | 15.00   |
| " 18 in. – 3 ft                         | 1.00   | 5.00   | 30.00   |
| " 3 ft. – 4 ft                          | 1.25   | 7.50   | 50.00   |
| Corylus Americana, 1 ft. – 3 ft         | 50     | 1.00   | 8.00    |
| " 3 ft. – 4 ft                          | 1.00   | 5.00   | 40.00   |

| -   | 10     | 100    | 1000   |
|---|--------|--------|--------|
| Corylus rostrata, 1 ft. – 3 ft                          | \$0.50 | \$1.00 | \$8.00 |
| " " 3 ft. – 4 ft  | 1.00   | 5.00   | 40.00  |
| Crategus coccinea, 1 ft. – 3 ft                         | 1.00   | 5.00   |        |
| " 3 ft. – 5 ft  | 2.00   | 10.00  |        |
| Diervilla trifida                                       | 50     | 2.00   | 10.00  |
| " " clumps  | 1.00   | 3.00   | 25.00  |
| Dirca palustris, 1 ft. – 2 ft                           | 1.00   | 7.50   |        |
| " 2 ft. – 3 ft., heavy                                  | 1.50   | 12.50  |        |
| " " 3 ft. – 5 ft. "                                     | 3.00   | 25.00  |        |
| Epigaea repens, (small) with ball                       | 1.00   | 5.00   |        |
| " (large) with ball                                     | 2.00   | 10.00  |        |
| Fagus Americana, 6 in. – 18 in                          | 50     | 3.00   |        |
| " 18 in. – 3 ft   | 75     | 5.00   |        |
| " 3 ft. – 4 ft  | 1.00   | 8.00   |        |
| " 4 ft 6 ft. stocky                                     | 2.00   | 15.00  |        |
| Fraxinus Americana, 6 in. – 2 ft                        | 50     | 2.00   |        |
| " 2 ft. – 3 ft  | 1.00   | 5.00   |        |
| " 3 ft. – 4 ft  | 1.25   | 7.50   |        |
| " nigra, 1 ft. – 3 ft                                   | 1.00   | 5.00   |        |
| " 3 ft. – 4 ft  | 1.25   | 7.50   |        |
| Gaultheria procumbens (large) with ball.                | 1.00   | 5.00   | 40.00  |
| Gaylussacia resinosa                                    | 50     | 1.50   | 12.00  |
| Hammamelis, 1 ft. – 3 ft                                | 50     | 2.00   | 15.00  |
| " 3 ft. – 5 ft  | 1.00   | 6.00   | 50.00  |
| Hicoria ovata, 1 ft. – 3 ft                             | 1.50   | 10.00  |        |
| " 3 ft. – 4 ft  | 2.00   | 15.00  |        |
| " 4 ft 6 ft   | 2.50   | 20.00  |        |
| Ilex glabra, 9 in. – 15 in                              | 1.00   | 5.00   |        |
| " $1\frac{1}{2}$ ft $2\frac{1}{2}$ ft. clumps with ball | 5.00   | 30.00  |        |
| " opaca, 6 in. – 12 in                                  | 1.00   | 7.00   |        |

|  | 10     | 100     | 1000    |
|--|--------|---------|---------|
| Ilex opaca 1 ft. – 2 ft                                  | \$2.00 | \$15.00 |         |
| " verticillata, $1\frac{1}{2}$ ft. $-3$ ft               | 50     | 2.00    | \$15.00 |
| " 3 ft. – 5 ft., clumps                                  | 1.00   | 7.00    | 50.00   |
| " $3 \text{ ft.} - 5 \text{ ft.}$ (with berries)         | 2.00   | 10.00   | 60.00   |
| Ilicioides mucronata                                     |        |         |         |
| (Nemopanthes), 1 ft. – 3 ft                              | 1.00   | 3.00    | 20.00   |
| " $3 \text{ ft.} - 5 \text{ ft.}, \text{ clumps } \dots$ | 2.00   | 10.00   | 60.00   |
| Kalmia angustifolia                                      | 50     | 2.00    | 10.00   |
| " latifolia, 6 in. – 12 in                               | 1.00   | 5.00    | 25.00   |
| " 1 ft. – 2 ft   | 2.00   | 10.00   |         |
| " $2 \text{ ft.} - 3 \text{ ft.}$ with ball              | 4.00   | 30.00   |         |
| Ledum latifolium   | 1.00   | 4.00    | 30.00   |
| Myrica Carolinensis                                      | 50     | 2.00    | 12.00   |
| Myrica gale  | 50     | 2.00    | 12.00   |
| " 2 ft. – 3 ft., clumps                                  | 1.00   | 7.50    | 50.00   |
| Nyssa sylvatica, 1 ft. – 3 ft                            | 75     | 4.00    |         |
| " 3 ft. – 5 ft   | 1.00   | 7.00    |         |
| Ostyra Virginica, 6 in. – 18 in                          | 50     | 1.50    |         |
| " " 18 in. – 3 ft  | 75     | 3.00    |         |
| " 3 ft. – 5 ft   | 1.00   | 7.00    |         |
| Populus alba, 6 in. – 2 ft                               | 50     | 2.00    |         |
| " 2 ft. – 4 ft   | 75     | 4.00    |         |
| " grandidentata, 1 ft. – 3 ft                            | 50     | 3.00    | 15.00   |
| " 3 ft. – 5 ft   | 1.00   | 5.00    | 40.00   |
| " tremuloides, 1 ft. – 3 ft                              | 50     | 3.00    | 15.00   |
| " 3 ft. – 5 ft   | 1.00   | 5.00    | 40.00   |
| Prunus Maritima, 1 ft. – 3 ft                            | 1.00   | 5.00    |         |
| "Pennsylvanicum, 1 ft. $-2\frac{1}{2}$ ft                | 50     | 3.00    | 15.00   |
| " $2\frac{1}{2}$ ft. $-4$ ft                             | 1.00   | 5.00    | 30.00   |
| " serotina, 1 ft. – 3 ft                                 | 50     | 3.00    | 15.00   |

|                                     | 10   | 100    | 1000    |
|-------------------------------------|------|--------|---------|
| Prunus serotina 3 ft. – 5 ft        | 0.75 | \$4.00 | \$25.00 |
| " Virginiana, 1 ft. – 3 ft          | 50   | 1.50   | 10.00   |
| " 3 ft. – 5 ft                      | 75   | 4.00   | 25.00   |
| Pyrus arbutifolia, 6 in. – 18 in    | 50   | 2.00   | 12.00   |
| " " 18 in. – 3 ft                   | 75   | 3.00   | 20.00   |
| Quercus alba, 6 in. – 18 in         | 50   | 3.00   |         |
| " 18 in. – 3 ft                     | 75   | 5.00   |         |
| " platanoides, 1 ft. – 3 ft         | 1.00 | 4.00   |         |
| " prinus, 1 ft. – 3 ft              | 1.00 | 4.00   |         |
| " 3 ft. – 4 ft                      | 1.25 | 7.50   |         |
| " rubra, 6 in. – 18 in              | 50   | 3.00   |         |
| " " 18 in. – 3 ft                   | 75   | 5.00   |         |
| Rhododendrum maximum, 6 in. – 12 in | 1.00 | 5.00   |         |
| " 1 ft. – 2 ft                      | 2.00 | 15.00  |         |
| " 2 ft. – 3 ft                      | 3.00 | 25.00  |         |
| Rhodora Canadensis                  | 1.00 | 5.00   |         |
| " clumps                            | 1.50 | 10.00  |         |
| Rhus aromatica                      | 1.00 | 5.00   | 25.00   |
| " copolina, 6 in. – 18 in           | 50   | 1.50   | 12.00   |
| " 18 in. – 3 ft                     | 75   | 3.00   | 25.00   |
| " glabra, 6 in. – 18 in             | 50   | 1.50   | 12.00   |
| " " 18 in. – 3 ft                   | 75   | 3.00   | 25.00   |
| " typhina, 6 in. – 18 in            | 50   | 1.50   | 12.00   |
| " " 18 in. – 3 ft                   | 75   | 3.00   | 25.00   |
| Robinia pseudacacia, 1 ft. – 2 ft   | 1.00 | 3.00   |         |
| " 2 ft. – 4 ft                      | 1.50 | 5.00   |         |
| Rosa Carolina                       | 50   | 2.00   | 15.00   |
| " lucida                            | 50   | 2.00   | 15.00   |
| " nitida                            | 75   | 3.00   | 25.00   |
| " rubignosa                         | 1.00 | 5.00   |         |

|                                    | 10     | 100    | 1000    |
|------------------------------------|--------|--------|---------|
| Rubus odoratus (large)             | \$0.75 | \$3.00 | 1000    |
| " hispidus                         | 50     | 2.00   |         |
| " villosus, 1 ft. – 3 ft           | 50     | 2.00   | \$15.00 |
| Salix alba, 6 in. – 18 in.         | 50     | 1.50   | Ψ10.00  |
| " " 18 in. – 4 ft                  | 75     | 5.00   |         |
| " humilis                          | 50     | 2.00   |         |
| " lucida, 1 ft. – 3 ft             | 50     | 3.00   |         |
| " tristis, 1 ft. – 3 ft            | 1.00   | 5.00   |         |
| Sambucus Americana, 6 in. – 18 in  | 50     | 2.00   | 15.00   |
| " 18 in. – 3 ft                    | 75     | 3.00   | 25.00   |
| " racemosa, 2 ft4 ft               | 1.00   | 5.00   | 20.00   |
| Smilax herbacea (large)            | 75     | 3.00   | 20.00   |
| " rotundifolia                     | 50     | 2.50   | 20.00   |
| Sorbus Americana, 3 ft. – 5 ft     | 2.00   | 15.00  | 20.00   |
| Spirea salicifolia, (small)        | 50     | 2.00   | 10.00   |
| " (large) clumps                   | 1.00   | 5.00   | 40.00   |
| " tomentosa, (small)               | 50     | 2.00   | 10.00   |
| " (large) clumps                   | 1.00   | 5.00   | 40.00   |
| Symphoricarpus racemosa            | 50     | 3.00   | 10,00   |
| Tilia Americana, 1 ft. –3 ft       | 50     | 4.00   | 20.00   |
| " " 3 ft 4 ft                      | 1.00   | 7.50   |         |
| Ulmus Americana, 6 in. – 18 in     | 50     | 3.00   | 15.00   |
| " 18 in. – 3 ft                    | 75     | 4.00   | 25.00   |
| " 3 ft. – 5 ft                     | 1.00   | 6.00   | 50.00   |
| Vaccinium corymbosum, 1 ft. – 2 ft | 75     | 4.00   | 30.00   |
| " 2 ft. – 3 ft., clumps            | 1.50   | 10.00  | 75.00   |
| " 3 ft. – 4 ft., clumps            | 3.00   | 25.00  |         |
| " macrocarpon                      | 50     | 1.50   | 10.00   |
| " Pennsylvanicum, (large)          | 50     | 2.00   | 15.00   |
| " Vacillans                        | 50     | 2.00   | 15.00   |

|          |                            | 10     | 100    | 1000    |
|----------|----------------------------|--------|--------|---------|
| Viburnum | acerfolium, 6 in. – 18 in  | \$0.50 | \$2.00 | \$15.00 |
| "        | " 18 in3 ft., clumps       | 1.00   | 6.00   | 50.00   |
| "        | cassinoides, 6 in. – 18 in | 50     | 2.00   | 15.00   |
| "        | " 18 in.– 3 ft., clumps    | 1.00   | 6.00   | 50.00   |
| "        | " 3 ft. – 4 ft., "         | 1.50   | 8.00   | 60.00   |
| "        | " 4 ft. – 5 ft., "         | 2.00   | 10.00  | 75.00   |
| "        | dentatum, 6 in. – 18 in    | 50     | 2.00   | 15.00   |
| "        | " 18 in3 ft., clumps       | 1.00   | 6.00   | 50.00   |
| "        | " 3 ft4 ft., "             | 1.50   | 8.00   | 60.00   |
| "        | " 4 ft5 ft., "             | 2.00   | 10.00  | 75.00   |
| "        | lantanoides, 6 in. – 18 in | 50     | 2.00   | 15.00   |
| "        | " 18 in. – 3 ft            | 1.00   | 5.00   | 40.00   |
| "        | Lentago, 1 ft. – 3 ft      | 75     | 4.00   | 25.00   |
| "        | " 3 ft 4 ft., clumps       | 1.50   | 10.00  | 75.00   |
| "        | " 4 ft. – 5 ft "           | 2.50   | 12.50  | 100.00  |
| "        | " 5 ft. – 8 ft "           | 3.00   | 15.00  | 125.00  |
| "        | prunifolium, 1 ft. – 3 ft  | 1.00   | 3.00   | 25.00   |
| "        | " 3 ft 4 ft                | 1.25   | 5.00   | 40.00   |
|          |                            |        |        |         |

## NURSERY GROWN STOCK.

|                             | 10     | 100    |
|-----------------------------|--------|--------|
| Hickoria ovata, 6 in- 1 ft  | \$0.50 | \$4.00 |
| Juglans nigra, 2 ft - 3 ft  | 1.50   | 6.00   |
| Abies balsamea, 2 ft 3 ft   | 1.00   | 6.00   |
| Pinus Sylvestris 2 ft 3 ft, | 1.00   | 7.50   |
| " 3 ft 4 ft                 | 1.50   | 10.00  |

## EVERGREENS.

With ball and burlap ask for prices.

| •   | 10   | 100    | 1000    |
|---|------|--------|---------|
| Cupressus thyoides, 6 - 12 in                     |      | \$2.00 | \$15.00 |
| " 1 - 2 ft  | 75   | 4.00   | 30.00   |
| " 2 - 4 ft  | 1.00 | 5.00   |         |
| Juniperus communis, 6 - 12 in                     | 50   | 4.00   | 30.00   |
| " 12 - 18 in                                      | 1.00 | 6.00   | 50.00   |
| " nana, Trailing Juniper, 6 - 12 in.              | 50   | 4.00   | 30.00   |
| " " 12 - 18 in.                                   | 1.00 | 6.00   | 50.00   |
| " " 18 - 24 in.                                   | 2.00 | 10.00  | 75.00   |
| " Virginiana, 6 - 12 in                           | 50   | 3.00   |         |
| " 1 - 2 ft  | 75   | 5.00   |         |
| " 2 - 4 ft  | 1.00 | 8.00   |         |
| Picea Canadensis, 1 - 2 ft                        | 1.00 | 5.00   |         |
| " 2 - 4 ft  | 1.50 | 10.00  |         |
| Pinus resinosa, 6 - 12 in                         | 50   | 3.00   |         |
| " 1 - 2 ft  | 75   | 5.00   |         |
| " 2 - 4 ft  | 1.50 | 10.00  |         |
| " rigida, 1 - 2 ft                                | 75   | 5.00   |         |
| " 2 - 4 ft. · · · · · · · · · · · · · · · · · · · | 1.00 | 8.00   |         |
| " strobus, 2 - 6 in                               | 50   | 1.50   | 8.00    |
| " 6 - 12 in                                       | 75   | 2.00   | 15.00   |
| " 1 - 2 ft  | 1.00 | 3.50   | 25.00   |
| " 2 - 3 ft  | 1.50 | 8.00   |         |
| Taxus Canadensis, 6 - 18 in                       | 50   | 2.00   | 15.00   |
| " $1\frac{1}{2} - 2\frac{1}{2}$ ft                | 75   | 3.00   | 25.00   |
| Tsuga Canadensis, 2 - 6 in                        | 50   | 2.00   | 10.00   |
| " 6 - 12 in                                       | 75   | 3.00   | 20.00   |
| " 1 - 2 ft  | 1.00 | 5.00   | 40.00   |
| " 2 - 3 ft  | 1.50 | 10.00  |         |
|   |      |        |         |



I make a specialty of collecting Native Tree and Plant Seeds, and have collectors in different parts of the U. S. A., and can furnish almost any Native Tree or Plant Seed needed.